

**SEIKO**

***Quartz***

**Cal. 3823A**

**PARTS LIST**

# SEIKO

Calibe No. <h2 style="text-align: center;">3823A</h2>	Jewels <h2 style="text-align: center;">7j</h2>	<h3>CHARACTERISTICS</h3> <p>             Casing diameter <span style="float: right;">25.60 mm</span>              Maximum height <span style="float: right;">5.3 mm</span>              Frequency of Quartz crystal oscillator <span style="float: right;">16,384Hz</span>              (Hz = Hertz . . . . . Cycle per second)              Sweep second              Calendar (day &amp; date)              Instant day &amp; date setting              Second setting device              Micro-adjusting device              Temperature compensation device              Bilingual change-over system for day of week         </p>																																																																		
<table border="0" style="width: 100%; text-align: center;"> <tr> <td> 131838</td> <td> 221838</td> <td> 231838</td> <td> 241838</td> <td> 261838</td> <td> 271838</td> <td> 282838</td> <td> 361838</td> <td> 376838</td> <td> 383838</td> <td> 383837</td> </tr> <tr> <td> 384838</td> <td> 385615</td> <td> 388838</td> <td> 390560</td> <td> 391838</td> <td> 436838</td> <td> 760838</td> <td> 354838</td> <td> 556838</td> <td colspan="2"></td> </tr> <tr> <td> 801838</td> <td> 802838</td> <td> 803838</td> <td> 810838</td> <td> 817610</td> <td> 868838</td> <td> 986838</td> <td> 870462</td> <td> 963838</td> <td colspan="2"></td> </tr> <tr> <td> 4000838</td> <td> 780838</td> <td> 4106837</td> <td> 4002838</td> <td> 4146838</td> <td> 4216591</td> <td> 4216837</td> <td> 4216838</td> <td> 873838</td> <td colspan="2"></td> </tr> <tr> <td></td> <td> 4239837</td> <td> 4239838</td> <td> 4246834</td> <td> 4247833</td> <td> 4270838</td> <td> 4414837</td> <td> 4264838</td> <td colspan="2"></td> <td></td> </tr> <tr> <td> 4437838</td> <td> EPX-77</td> <td> 023928</td> <td colspan="8"></td> </tr> </table>			131838	221838	231838	241838	261838	271838	282838	361838	376838	383838	383837	384838	385615	388838	390560	391838	436838	760838	354838	556838			801838	802838	803838	810838	817610	868838	986838	870462	963838			4000838	780838	4106837	4002838	4146838	4216591	4216837	4216838	873838				4239837	4239838	4246834	4247833	4270838	4414837	4264838				4437838	EPX-77	023928								
131838	221838	231838	241838	261838	271838	282838	361838	376838	383838	383837																																																										
384838	385615	388838	390560	391838	436838	760838	354838	556838																																																												
801838	802838	803838	810838	817610	868838	986838	870462	963838																																																												
4000838	780838	4106837	4002838	4146838	4216591	4216837	4216838	873838																																																												
	4239837	4239838	4246834	4247833	4270838	4414837	4264838																																																													
4437838	EPX-77	023928																																																																		
<table border="1" style="width: 100%; text-align: center;"> <tr> <td> 022377</td> <td> 022286</td> <td> 022468</td> <td> 022558</td> <td> 022373</td> </tr> <tr> <td> 022282</td> <td> 022446</td> <td> 022753</td> <td> 022761</td> <td><math>\frac{2}{1}</math></td> </tr> </table>			022377	022286	022468	022558	022373	022282	022446	022753	022761	$\frac{2}{1}$																																																								
022377	022286	022468	022558	022373																																																																
022282	022446	022753	022761	$\frac{2}{1}$																																																																

PART NO.	PART NAME	PART NO.	PART NAME
131838	Third wheel bridge	4216837	Insulator A for circuit
221838	Center wheel & pinion	4216838	Insulator B for circuit
231838	Third wheel & pinion	4239837	Rotor stator A
241838	Sweep second wheel & pinion	4239838	Rotor stator B
261838	Minute wheel	4246834	Terminal for reset connection
271838	Hour wheel	4247833	Insulating ring for condenser of battery protection
282838	Clutch wheel	4270838	Battery connection
361838	Second-setting spring	4414837	Insulating cap for battery
376838	Hour wheel guard	4264838	Battery connection for plus terminal
☆ 383838	Setting lever A	4437838	Insulating cover of circuit connection
☆ 383837	Setting lever B	EPX-77	Silver oxide battery
384838	Yoke	022377	Third wheel bridge screw
385615	Yoke spring	022286	Rotor stator screw
388838	Setting lever spring	022286	Coil block screw
390560	Setting lever axle	022468	Setting lever spring screw
391838	Second setting lever	022558	Lower end-piece screw for third wheel
436838	Lower end-piece for third escape wheel	022373	Hour wheel guard screw
760838	Second jumper	022373	Circuit block screw
354838	Winding stem	022373	Screw for condenser of battery protection
556838	Date finger	022373	Screw for insulating cover of circuit connection
☆ 801838	Date dial	022282	Date driving wheel screw
802838	Date driving wheel	022446	Setting wheel lever screw
803838	Setting wheel lever complete	022753	Day jumper screw
810838	Date jumper	022373	Second jumper screw
817610	Intermediate date wheel	022761	Dial screw
868838	Day finger	011406	Upper hole jewel for third wheel
986838	Day-date corrector wheel rocking lever	011406	Upper hole jewel for sweep second wheel
☆ 870452	Day star with dial disk	011411	Upper hole jewel for step rotor
873838	Day jumper	011140	Lower hole jewel for sweep second wheel
963838	Snap for day star with dial disk	011411	Lower hole jewel for step rotor
780838	Insulating seat for battery connection	023928	Contact spring pin
4000838	Circuit block with quartz crystal oscillator	023111	Tube for third wheel bridge screw
4106837	Condenser of battery protection	023842	Date jumper pin
4002838	Coil block		
4146838	Step rotor		
4216591	Insulator for battery connection		

**(Remarks)**

**Setting lever**

There are two types of setting lever. These lever differ according to case and dial diameter.

☆ 383838 . . . Used for screw-type case

☆ 383837 . . . Used for one-piece type case

If the parts number of the setting lever is unknown or other part than above mentioned is required, specify ① Calibre No. ② Number of jewels ③ Dial No. ④ Case No.

**Date dial**

☆ 801838 . . . Used when both the crown and the date frame are located at three o'clock position.

When ordering any other type of the date dial, specify ① Calibre No. ② Position of crown

③ Position of date frame ④ Dial No.

**Day star with dial disk**

☆ 870452 . . . Used when both the crown and the day frame are located at 3 o'clock position.

When ordering any other type of the day star with dial disk, specify the number printed on the disk.