




SEIKO

DIGITAL QUARTZ

Cal. A939A

**PARTS
CATALOGUE**

Cal. A939A



4001 805



4216 795



4225 805




4246 795




4270 795




4313 795



4398 795



4410 795



4457 795




☆ 4510 805



4521 840



4530 230



☆ National BR2016

Cal. A939A

Characteristics

Casing diameter : ϕ 28.1 mm
 Maximum height : 4.9 mm
 Frequency of quartz crystal oscillator : 32,768 Hz (Hz=Hertz Cycles per second)
 Time and calendar display : Hour (12-hour or 24-hour indication), minute, second, date, day of the week and "A.M."/"P.M." mark (only in the 12-hour indication) can be displayed.
 Alarm display : Can be set to operate at any desired hour and minute.
 Timer display : Can be set to operate at any desired minute up to 60 minutes.
 Stopwatch display : Digital display system showing 12-hour, minute, second and 1/100 second.
 Time signal : Can be set to ring every hour on the hour.
 Display medium : Nematic Liquid Crystal, FE-Mode.
 Regulation system : Trimmer condenser
 Illuminating light : Illuminates all the digital displays in the dark by depressing the light button.

PART NO.	PART NAME	PART NO.	PART NAME
4001 805	Circuit block		
4216 795	Insulator for circuit		
4225 805	Battery clamp		
4246 795	Buzzer lead terminal		
4270 795	Battery connection (-)		
4313 795	Connector		
4398 795	Liquid crystal panel frame		
4410 795	Circuit cover		
4457 795	Circuit block cover		
☆4510 805	Liquid crystal panel		
4521 840	Reflecting mirror		
4530 230	Bulb		
☆National BR2016 } ☆Maxell CR2016 }	Lithium battery		

Remarks :

Liquid crystal panel

☆4510 805.....Be sure that the combination between the color of panel cover and Liquid crystal panel should be matched according to the "SEIKO Quartz Casing Parts Catalogue".

Battery

☆National BR2016 }The substitutive battery might be added to the applied battery in the future.
 ☆Maxell CR2016 } In that case, please refer to separate "BATTERY LIST FOR SEIKO QUARTZ WATCHES".

☆⇨Please see remarks.

Part numbers in light letters are not shown in photos.